# UNIQ DIGITAL

DIGITAL
PERFECTION

- UDX series is 16:9 visual scale, they can be widely used in various occasions, the 720P\1080P\2160P\3840P high-definition and ultra-high definition all are available.
- High-end magnificent in appearance, concise and beautiful.
- Pixel Pitch (mm) - 1.25|1.56|1.87|2.5
- Pixel density (pixels/sq.m.) – 640000|409600|284444|160000
- Brightness (nit) - 600|600|600|800

Light and slim

The cabinet is very slim and light, it's only 68mm thick and 6.4kg in weight which can achieve better effect and save labour

Power

HUB

receiving card

Protect module from bumping
Cushion design on cabinet bottom reducing lamp bumping when moving cabinets.

Good heat dissipation
Die casting cabinet allows enough space for heat Dissipation.
Aluminium frame of the module can speed up heat reciprocation.

## Dual backup
Dual backup of power supply & receiving card.

Diversified installation types
Fast installation with aluminium bracket. The screen can mount on the wall with structure.

Easy for maintenance
First, pull out the two modules nearby; second loosen the screws; then get out the receiving card, power and HUB.

UNIQ DIGITAL

Fast assembling

There are 2 locating pin which are useful for quick positioning during installation to make the work more quick and convenient.

There are two sets fast locks on cabinet up and down side which can splicing two cabinet quickly.

Fast installation

Equipped with mounting structure and mounting fixture to realize fast installation.

Equipped with cabinets connection piece and installation drawing to support back installation.

Parameter		Value
Physical Parameter	**Pixel Configuration**	SMD1010|SMD2020
	Pixel Pitch (mm)	1.25|1.56|1.8|2.5
	Pixel matrix per panel	480x270|384x216|320x180|240x135
	Pixel density (pixels/sq.m.)	640000|409600|284444|160000
	Cabinet Dimensions (WxHxD)/(mm)	600x337.5x60
	Module Dimensions (WxH)/(mm)	150x337.5
	Panel material	Die Casting Aluminium
	Cabinet weight (kg/panel)	6.3
	Module weight (kg/panel)	0.68